



MarinTrust Standard V2

By-product Fishery Assessment

ESP17 – Skipjack tuna, FAO 34

(Eastern Atlantic Ocean Tuna)

MarinTrust Programme

Unit C, Printworks

22 Amelia Street

London

SE17 3BZ

E: standards@marin-trust.com

T: +44 2039 780 819

Table 1 Application details and summary of the assessment outcome

Fishery Under Assessment	Species:	Skipjack tuna (<i>Katsuwonus pelamis</i>)
	Geographical area:	FAO 34
	Country of origin of the product:	Spain, Portugal, Ivory Coast, Senegal
	Stock:	Eastern Atlantic Skipjack
Date	June 2024	
Report Code	ESP17	
Assessor	Vineetha Aravind	
Country of origin of the product - PASS	Spain, Portugal, Ivory Coast, Senegal	
Country of origin of the product - FAIL	NA	

Application details and summary of the assessment outcome			
Company Name(s): Arteixo, Conserveros Reunidos SL (CONRESA)			
Country: Spain			
Email address:		Applicant Code:	
Certification Body Details			
Name of Certification Body:		LRQA	
Assessor	Peer Reviewer	Assessment Days	Initial/Surveillance/ Re-approval
Vineetha Aravind	Sam Peacock	0.2	Surveillance 1
Assessment Period	June 2024 – June 2025		

Scope Details	
Main Species	Skipjack tuna (<i>Katsuwonus pelamis</i>)
Stock	Eastern Atlantic Skipjack
Fishery Location	FAO 34
Management Authority (Country/ State)	International Commission for the Conservation of Atlantic Tuna (ICCAT)
Gear Type(s)	Longline, pole and line, purse seine
Outcome of Assessment	
Peer Review Evaluation	Agree with assessment outcome
Recommendation	PASS

Table 2. Assessment Determination

Assessment Determination
<p>To be approved as Marin Trust raw material, the species should not appear as Endangered or Critically Endangered in the IUCN Red list and should not appear in CITES appendices. Skipjack tuna is categorised as Least Concern in the IUCN Red List and, it does not appear in CITES appendices; therefore, it is eligible for approval for use as Marin Trust by-product raw material.</p> <p>Eastern Atlantic Skipjack is managed by the International Commission for the Conservation of Atlantic Tunas (ICCAT) relative to reference point (B_{MSY}) and is therefore assessed under Category C.</p> <p>The last stock assessment for Eastern Atlantic Skipjack was in 2022 using catch data up to 2020 (recorded in the initial audit). The stock is not overfished and not subject to overfishing with a high probability (78%). The biomass is estimated to be above the target reference point and the product meets the MarinTrust requirements for use as raw material.</p>
Fishery Assessment Peer Review Comments
<p>The peer reviewer agrees that this species is eligible for assessment under the MarinTrust byproduct assessment methodology, and that the stock falls into Category C. The most recent stock assessment was adequate to meet the requirements of C1.1, and biomass is currently estimated to be above the target reference point level, meeting the requirements of C1.2. Overall, the peer reviewer agrees that this stock should be approved as a source of byproduct raw material for MarinTrust certified facilities.</p>
Notes for On-site Auditor

Species Categorisation

NB: If any species is categorised as Endangered or Critically Endangered on the IUCN Red List, or if it appears in CITES Appendix 1, it **cannot** be approved for use as a MarinTrust raw material.

IUCN Red list Category

By-product material from a species listed by IUCN (the International Union for Conservation of Nature) under the Red List for the following categories shall immediately fail the assessment;

- EXTINCT (E) AND EXTINCT IN THE WILD (EW)
- CRITICALLY ENDANGERED (CR) facing an extremely high risk of extinction in the wild.
- ENDANGERED (EN) facing a very high risk of extinction in the wild.

By-product material may be used from the following categories provided that all clauses in the MarinTrust standard are passed.

- VULNERABLE (VU) facing a high risk of extinction in the wild.
- NEAR THREATENED (NT) does not qualify for above now, but is close or is likely to qualify for, a threatened category in the near future.
- LEAST CONCERN (LC) Widespread and abundant.
- DATA DEFICIENT (DD) and NOT EVALUATED (NE)

Table 3 Species Categorisation Table

Common name	Latin name	Stock	Management	Category	IUCN Red List Category ¹	CITES Appendix 1 ²
Skipjack tuna	<i>Katsuwonus pelamis</i>	Eastern Atlantic skipjack tuna	Yes	C	Least Concern ³	No

¹ <https://www.iucnredlist.org/>

² <https://cites.org/eng/app/appendices.php>

³ <https://www.iucnredlist.org/species/170310/46644566>

CATEGORY C SPECIES

In a by-product assessment, Category C species are those which are subject to a species-specific management regime and are usually targeted species in fisheries for human consumption.

Clause C1 should be completed for each Category C species. If there are no Category C species in the fishery under assessment, this section can be deleted. Where a species fails this Clause, it should be assessed as a Category D species instead.

Species Name		Skipjack	
C1	Category C Stock Status - Minimum Requirements		
	C1.1	Fishery removals of the species in the fishery under assessment are included in the stock assessment process, OR are considered by scientific authorities to be negligible.	PASS
	C1.2	The species is considered, in its most recent stock assessment, to have a biomass above the limit reference point (or proxy), OR removals by the fishery under assessment are considered by scientific authorities to be negligible.	PASS

Clause outcome: PASS

C1.1 Fishery removals of the species in the fishery under assessment are included in the stock assessment process, OR are considered by scientific authorities to be negligible.

Regular stock assessments are carried out for East Atlantic Skipjack tuna by the ICCAT. In 2022, a full stock assessment was carried out applying production models (JABBA) and one integrated statistical assessment model (stock synthesis) to the available catch data through 2020. The results of both models were combined with equal weighting to develop stock status and management advice so that all major uncertainties were addressed. The assessment incorporates all available data from across the EPO, including catch data (Figure 1) but also size and age frequency data and other sources. Thus C1.1 is met.




Figure 1: Skipjack catches in the eastern Atlantic, by gear (1950-2022). The values for 2022 are preliminary (ICCAT, 2022)

C1.2 The species is considered, in its most recent stock assessment, to have a biomass above the limit reference point (or proxy), OR removals by the fishery under assessment are considered by scientific authorities to be negligible.

The combined results of the two models (JABBA & stock synthesis) gives the stock assessment, based on the median of the entire uncertainty grid, show that in 2020 the East Atlantic skipjack tuna stock was not overfished (median $B_{2020}/B_{MSY} = 1.60$) and was not undergoing overfishing (median $F_{2020}/F_{MSY} = 0.63$). The median MSY was estimated as 216,617 t from the uncertainty grid of the deterministic runs. Probabilities of the stock being in each quadrant of the Kobe plot (Figure) are 78% in the green (not overfished, not subject to overfishing), 4% in the orange (subject to overfishing but not overfished), 1% in the yellow (overfished

but not subject to overfishing) and 16% in the red (overfished and subject to overfishing). In summary, the results indicated a stock status of not overfished (83% probability), with no overfishing (80% probability). Therefore, C1.2 is met.




Figure 2: Combined Kobe phase plot for the various models performed for Eastern Atlantic skipjack tuna in 2022. The blue point shows the median of 180,000 iterations for SSB2020/SSBMSY or B2020/BMSY and F2020/FMSY for the entire set of runs in the grid. Grey points represent the 2020 estimates of relative fishing mortality and relative spawning stock biomass for 2020 for each of the 180,000 iterations. The upper graph represents the smoothed frequency distribution of SSB2020/SSBMSY or B2020/BMSY estimates for 2020. The right graph represents the smoothed frequency distribution of F2020/FMSY estimates for 2020. The inserted pie graph represents the percentage of each 2020 estimate that fall in each quadrant of the Kobe plot (ICCAT 2022).

References

ICCAT (2022). Species executive summary, skipjack tuna. https://www.iccat.int/Documents/SCRS/ExecSum/SKJ_ENG.pdf

Links

MarinTrust Standard clause	1.3.2.2
FAO CCRF	7.5.3
GSSI	D.3.04, D5.01

CATEGORY D SPECIES

Category D species are those which are not subject to a species-specific management regime. In the case of mixed trawl fisheries, Category D species may make up the majority of landings. The comparative lack of scientific information on the status of the population of the species means that a risk-assessment style approach must be taken.

D1	Species Name	NA	
	Productivity Attribute	Value	Score
	Average age at maturity (years)		
	Average maximum age (years)		
	Fecundity (eggs/spawning)		
	Average maximum size (cm)		
	Average size at maturity (cm)		
	Reproductive strategy		
	Mean trophic level		
	Average Productivity Score		
	Susceptibility Attribute	Value	Score
	Availability (area overlap)		
	Encounterability (the position of the stock/species within the water column relative to the fishing gear)		
	Selectivity of gear type		
	Post-capture mortality		
	Average Susceptibility Score		
	PSA Risk Rating (From Table D3)		
	Compliance rating		
	Further justification for susceptibility scoring (where relevant)		
	<i>For susceptibility attributes, please provide a brief rationale for scoring of parameters where there may be uncertainty affecting your decision</i>		
References			
<i>Standard clauses 1.3.2.2</i>			

Table D2 - Productivity / Susceptibility attributes and scores.

Productivity attributes	High productivity (Low risk, score = 1)	Medium productivity (medium risk, score = 2)	Low productivity (high risk, score = 3)
Average age at maturity	<5 years	5-15 years	>15 years
Average maximum age	<10 years	10-25 years	>25 years
Fecundity	>20,000 eggs per year	100-20,000 eggs per year	<100 eggs per year
Average maximum size	<100 cm	100-300 cm	>300 cm
Average size at maturity	<40 cm	40-200 cm	>200 cm
Reproductive strategy	Broadcast spawner	Demersal egg layer	Live bearer
Mean Trophic Level	<2.75	2.75-3.25	>3.25

Susceptibility attributes	Low susceptibility (Low risk, score = 1)	Medium susceptibility (medium risk, score = 2)	High susceptibility (high risk, score = 3)
Areal overlap (availability) Overlap of the fishing effort with the species range	<10% overlap	10-30% overlap	>30% overlap
Encounterability The position of the stock/species within the water column relative to the fishing gear, and the position of the stock/species within the habitat relative to the position of the gear	Low overlap with fishing gear (low encounterability).	Medium overlap with fishing gear.	High overlap with fishing gear (high encounterability). Default score for target species
Selectivity of gear type Potential of the gear to retain species	a Individuals < size at maturity are rarely caught	a Individuals < size at maturity are regularly caught.	a Individuals < size at maturity are frequently caught
	b Individuals < size at maturity can escape or avoid gear.	b Individuals < half the size at maturity can escape or avoid gear.	b Individuals < half the size at maturity are retained by gear.
Post-capture mortality (PCM) The chance that, if captured, a species would be released and that it would be in a condition permitting subsequent survival	Evidence of majority released post-capture and survival.	Evidence of some released post-capture and survival.	Retained species or majority dead when released.

D3		Average Susceptibility Score		
		1 - 1.75	1.76 - 2.24	2.25 - 3
Average Productivity Score	1 - 1.75	PASS	PASS	PASS
	1.76 - 2.24	PASS	PASS	TABLE D4
	2.25 - 3	PASS	TABLE D4	TABLE D4

D4 Species Name			
Impacts On Species Categorised as Vulnerable by D1-D3 - Minimum Requirements			
D4.1	The potential impacts of the fishery on this species are considered during the management process, and reasonable measures are taken to minimise these impacts.		
D4.2	There is no substantial evidence that the fishery has a significant negative impact on the species.		
Outcome:			
Evidence			
D4.1: The potential impacts of the fishery on this species are considered during the management process, and reasonable measures are taken to minimise these impacts.			
D4.2 There is no substantial evidence that the fishery has a significant negative impact on the species.			
References			
Links			
MarinTrust Standard clause		1.3.2.2, 4.1.4	
FAO CCRF		7.5.1	
GSSI		D.5.01	